	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	925	plurality near3 batteries	JPO	2004/02/23 08:14
2	BRS	1	(plurality near3 batteries) and (detachably near2 mounted)	JPO	2004/01/12 14:10
3	BRS	0	(plurality near3 batteries) with appratus	JPO	2004/01/12 14:11
4	BRS	1	(plurality near3 batteries) with (detect$4 near4 remov$4)	JPO	2004/01/12 14:12
5	BRS	1	(((data or information)near5 (device or appratus or notpad or notebook or ((portable or handheld)near3 (computer or deice or apparatus or telephone))))with ((multiple or plural$4)near3 batter$3)) and (stabili$6 same ((reduc$6 or lower$4 or conserv$6)with power))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 14:43
6	BRS	15	(((data or information)near5 (device or appratus or notpad or notebook or ((portable or handheld)near3 (computer or deice or apparatus or telephone))))with ((multiple or plural$4)near3 batter$3)) and (((reduc$6 or lower$4 or conserv$6)with power))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 14:48
7	BRS	1	(((data or information)near5 (device or appratus or notpad or notebook or ((portable or handheld)near3 (computer or deice or apparatus or telephone))))with ((multiple or plural$4)near3 batter$3)) and (stabili$6 near3 operat$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/12 14:44
8	BRS	2	(((data or information)near5 (device or appratus or notpad or notebook or ((portable or handheld)near3 (computer or deice or apparatus or telephone))))with ((multiple or plural$4)near3 batter$3)) and ((stabili$6 or stably)near3 operat$4)	USPAT; US-PGPUB; IBM_TDB	2004/01/12 14:45
9	BRS	26	(((data or information)near5 (device or appratus or notpad or notebook or ((portable or handheld)near3 (computer or deice or apparatus or telephone))))with ((multiple or plural$4)near3 batter$3)) and (((reduc$6 or lower$4 or conserv$6 or control$4)with power))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 14:48

	Type	Hits	Search Text	DBs	Time Stamp
10	BRS	36	((data or information)near5 (device or appratus or notpad or notebook or ((portable or handheld)near3 (computer or deice or apparatus or telephone))))with ((multiple or plural$4)near3 batter$3)	USPAT; US-PGPUB; IBM_TDB	2004/01/12 15:09
11	BRS	4	((data or information)near5 (device or appratus or notpad or notebook or ((portable or handheld)near3 (computer or deice or apparatus or telephone))))same ((multiple or plural$4)near3 (secondary near3 batter$3))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 15:08
12	BRS	12	(((multiple or plural$4)near3 batter$3)near6 (detach$4 near3 mount$3))	USPAT; US-PGPUB; IBM_TDB	2004/01/12 15:13
13	BRS	7	((error or unsatbili$6 or instabili$6 or unstabl$4 or instabl$5)with (battery nrear4 (remov$4 or detach$4 or dismount$4 or unmount$4))) same ((multiple or plural$4)near3 secondary)	USPAT; US-PGPUB; IBM_TDB	2004/01/12 15:20
14	BRS	2	((error or unsatbili$6 or instabili$6 or unstabl$4 or instabl$5)with (battery nrear4 (remov$4 or detach$4 or dismount$4 or unmount$4))) same ((multiple or plural$4)near3 secondary)	EPO; JPO; DERWENT	2004/01/12 15:22
15	BRS	620	((reduc$4 or lower$4 or slow$4 or minimi$6)near6 (power near4 (consum$6 or conserv$6 or sav$4))) same (process$4 near3 (ability or capabilit$4 or speed or function$4))	EPO; JPO; DERWENT	2004/01/12 15:26
16	BRS	0	(((reduc$4 or lower$4 or slow$4 or minimi$6)near6 (power near4 (consum$6 or conserv$6 or sav$4))) same (process$4 near3 (ability or capabilit$4 or speed or function$4))) and ((secondary near3 battery)with ((low or below or reduc$5 or minimum)near4 (power or supply or voltage or current)))	EPO; JPO; DERWENT	2004/01/12 15:27
17	BRS	86	((reduc$4 or lower$4 or slow$4 or minimi$6)near6 (power near4 (consum$6 or conserv$6 or sav$4))) and ((secondary near3 battery)with ((low or below or reduc$5 or minimum)near4 (power or supply or voltage or current)))	EPO; JPO; DERWENT	2004/01/12 15:28

	Typ e	Hits	Search Text	DBs	Time Stamp
18	BRS	1	(((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))) and ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or speed or process$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 16:06
19	BRS	10	((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 16:06
20	BRS	1	((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with ((batter$3 near3 (remov$3 or detach$4 or attach$4))near5 simultaneous$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 10:55
21	BRS	2	((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) same ((batter$3 near3 (remov$3 or detach$4 or attach$4))near5 simultaneous$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 09:32
22	BRS	2	((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with ((simultaneous$3 or cocurrently or parallel)near4 supply)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 09:38
23	BRS	0	(((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) same ((simultaneous$3 or cocurrently or parallel)near4 supply)) and ((batter$3 near3 (remov$3 or detach$4 or attach$4))near5 simultaneous$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 09:38
24	BRS	11	((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) same ((simultaneous$3 or cocurrently or parallel)near4 supply)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 09:38

	Type	Hits	Search Text	DBs	Time Stamp
25	BRS	1	(((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) and ((batter$3 near3 (remov$3 or detach$4 or attach$4))near5 simultaneous$4)) and ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 09:39
26	BRS	16	((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) and ((batter$3 near3 (remov$3 or detach$4 or attach$4))near5 simultaneous$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 09:40
27	BRS	11	(((apparatus or device or system)near6 (process$4 or operat$4 or stabil$4)) with ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or speed or process$4))) same ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 (low or minimum)))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 09:54
28	BRS	0	((((apparatus or device or system)near6 (process$4 or operat$4 or stabil$4)) with ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or speed or process$4))) same ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))) and ((batter$3 near3 (remov$3 or detach$4 or attach$4))near5 simultaneous$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 09:57
29	BRS	4	(((apparatus or device or system)near6 (process$4 or operat$4 or stabil$4)) with ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or speed or process$4))) and ((batter$3 near3 (remov$3 or detach$4 or attach$4))near5 simultaneous$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 09:55

	Typе	Hits	Search Text	DBs	Time Stamp
30	BRS	0	((((apparatus or device or system)near6 (process$4 or operat$4 or stabil$4)) with ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or speed or process$4))) same ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 (low or minimum)))) and ((batter$3 near3 (remov$3 or detach$4 or attach$4))near5 simultaneous$4)	USPAT; US-PGPUB; IBM_TDB	2004/02/10 09:57
31	BRS	24	(((apparatus or device or system)near6 (process$4 or operat$4 or stabil$4)) with ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or speed or process$4))) same ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 10:45
32	BRS	0	((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) with (((minimum or low or less or least)near6 (residual near3 (supply or power)))with (secondary or source))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 10:54
33	BRS	0	((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) same (((minimum or low or less or least)near6 (residual near3 (supply or power)))with (secondary or source))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 10:50
34	BRS	1	((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) and (((minimum or low or less or least)near6 (residual near3 (supply or power)))with (secondary or source))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 10:51

	Type	Hits	Search Text	DBs	Time Stamp
35	BRS	0	(((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) with ((operat$4 or processing or function$4 or working)near4 (abilit$3 or capabilit$3 or speed))) and ((batter$3 near3 (remov$3 or detach$4 or attach$4))near5 simultaneous$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 10:56
36	BRS	2	((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) and ((batter$3 near3 (remov$3 or detach$4 or attach$4))near5 simultaneous$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 11:10
37	BRS	20	(((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) with ((operat$4 or processing or function$4 or working)near4 (abilit$3 or capabilit$3 or speed))) and((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 11:05
38	BRS	178	((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) and ((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 11:03
39	BRS	6	(((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) with ((operat$4 or processing or function$4 or working)near4 (abilit$3 or capabilit$3 or speed))) and ((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 11:09

	Type	Hits	Search Text	DBs	Time Stamp
40	BRS	0	(((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4)) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))) and ((batter$3 near3 (remov$3 or detach$4 or attach$4))near5 simultaneous$4)	USPAT; US-PGPUB; IBM_TDB	2004/02/10 11:10
41	BRS	0	(((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4)) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))) and ((request$3 near4 (remov$3 or detach$4 or attach$4)))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 11:59
42	BRS	13	(((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4)) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))) and (((multiple or plural$4 or more)near3 batter$3))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 11:58
43	BRS	6	(((control$4 near6(apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))) and (((multiple or plural$4 or more)near3 batter$3))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 11:58
44	BRS	0	(((control$4 near6(apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))) and ((request$3 near4 (remov$3 or detach$4 or attach$4)))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 11:59

	Type	Hits	Search Text	DBs	Time Stamp
45	BRS	22	((control$4 near6(apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 12:35
46	BRS	58	(apparatus or processor or device or system)with ((plural$3 or multiple)near6 (detachabl$3 or attach$4 or hot$plug$3)near3 batter$3)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 12:47
47	BRS	1	((apparatus or processor or device or system)with ((plural$3 or multiple)near6 (detachabl$3 or attach$4 or hot$plug$3)near3 batter$3)) same ((remov$3 or detach$4 or unplug$4)near4 (request$3 or requir$5))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 12:13
48	BRS	7	((apparatus or processor or device or system)with ((plural$3 or multiple)near6 (detachabl$3 or attach$4 or hot$plug$3)near3 batter$3)) and ((remov$3 or detach$4 or unplug$4)near4 (request$3 or requir$5))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 12:18
49	BRS	0	(((((determin$4 or detect$4 or deci$6)near6 ((remov$3 or detach$4 or unplug$4)near4 (request$3 or requir$5)))) with (batter$3)) and ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))) and ((control$4 near6(apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 12:23

	Type	Hits	Search Text	DBs	Time Stamp
50	BRS	3	(((((determin$4 or detect$4 or deci$6)near6 ((remov$3 or detach$4 or unplug$4)near4 (request$3 or requir$5)))) with (batter$3)) and ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))) and ((control$4 near6(apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4)))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 12:23
51	BRS	11	(((((determin$4 or detect$4 or deci$6)near6 ((remov$3 or detach$4 or unplug$4)near4 (request$3 or requir$5)))) with (batter$3)) and ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 12:24
52	BRS	21	(((determin$4 or detect$4 or deci$6)near6 ((remov$3 or detach$4 or unplug$4)near4 (request$3 or requir$5)))) with (batter$3)	USPAT; US-PGPUB; IBM_TDB	2004/02/10 12:27
53	BRS	544	((determin$4 or detect$4 or deci$6)near6 ((remov$3 or detach$4 or unplug$4)near6 batter$3))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 12:30
54	BRS	4	((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with ((determin$4 or detect$4 or deci$6)near6 ((remov$3 or detach$4 or unplug$4)near6 batter$3))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 12:30
55	BRS	161	(((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 12:36

	Type	Hits	Search Text	DBs	Time Stamp
56	BRS	1	(((determin$4 or detect$4 or deci$6)near6 ((remov$3 or detach$4 or unplug$4)near6 batter$3))) and ((((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply))))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 12:36
57	BRS	61	((((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))) and ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or speed or process$4))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 12:38
58	BRS	71	((((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))) and ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or function$3 or speed or process$4))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 12:38
59	BRS	18	(((((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))) and ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or function$3 or speed or process$4))) and ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4 or left$over)near3 power))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 12:39

	Typ e	Hits	Search Text	DBs	Time Stamp
60	BRS	0	(((((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply))))) and ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or function$3 or speed or process$4))) and ((apparatus or processor or device or system)with ((plural$3 or multiple)near6 (detachabl$3 or attach$4 or hot$plug$3)near3 batter$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 12:47
61	BRS	1	(((((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply))))) and ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or function$3 or speed or process$4))) and ((apparatus or processor or device or system)with ((plural$3 or multiple)near6 batter$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 12:48
62	BRS	3	(((((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4))) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply))))) and ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or function$3 or speed or process$4))) and (((plural$3 or multiple)near6 batter$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 12:48
63	BRS	741	(apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)	EPO; JPO; DERWEN T	2004/02/10 12:49

	Typ e	Hits	Search Text	DBs	Time Stamp
64	BRS	5	((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))	EPO; JPO; DERWEN T	2004/02/10 12:49
65	BRS	161	((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4)) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 13:04
66	BRS	106	(((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4)) with ((low$3 or minimum or reduc$4)near5 ((residual or remain$3 or secondary)near3 (power or supply)))) and @ad<20000917	USPAT; US-PGP UB; IBM_TD B	2004/02/10 14:29
67	BRS	45	(((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) and (batter$3 near4 control$4)) and ((remov$3 or detach$4 or unplug$4)near4 requir$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 13:01
68	BRS	32	(((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) and (batter$3 near4 control$4)) and (((remov$3 or detach$4 or unplug$4)near4 requir$4)near6 batter$3)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 13:01
69	BRS	3	((((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) and (batter$3 near4 control$4)) and (((remov$3 or detach$4 or unplug$4)near4 requir$4)near6 batter$3)) and ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 13:02

	Typ e	Hits	Search Text	DBs	Time Stamp
70	BRS	4	((((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) and (batter$3 near4 control$4)) and (((remov$3 or detach$4 or unplug$4)near4 requir$4)near6 batter$3)) and (((apparatus or processor or device or system)near6 (processing or operat$4 or function$4 or driv$4 or capabilit$3 or abilit$4)) with ((low$3 or minimum or reduc$4)near5 ((power or supply))))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 13:06
71	BRS	2	((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4 or switch$3))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) same ((respons$4 or bas$3 or because)near6 ((remov$3 or detach$4 or unplug$4)with batter$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/02 14:38
72	BRS	22	((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4 or switch$3))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) and ((respons$4 or bas$3 or because)near6 ((remov$3 or detach$4 or unplug$4)with batter$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 13:13
73	BRS	20	(((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4 or switch$3))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) and ((respons$4 or bas$3 or because)near6 ((remov$3 or detach$4 or unplug$4)with batter$4))) and @ad<20000917	USPAT; US-PGP UB; IBM_TD B	2004/02/10 13:14
74	BRS	0	((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4 or switch$3))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) same ((respons$4 or bas$3 or because)near6 ((remov$3 or detach$4 or unplug$4)with batter$4))	EPO; JPO; DERWEN T	2004/02/10 13:19
75	BRS	6	((selecti$4 near4 (lower$3 or reduc$4 or minimiz$6 or control$4 or switch$3))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)) same (((remov$3 or detach$4 or unplug$4)with batter$4))	EPO; JPO; DERWEN T	2004/02/10 13:31

	Type	Hits	Search Text	DBs	Time Stamp
76	BRS	348	(((fault near2 (toleran$3 or avoid$4)) or uninterrupt$4 or ups)near5 (power or supply)) with ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 power)	EPO; JPO; DERWENT	2004/02/10 13:35
77	BRS	1	((((fault near2 (toleran$3 or avoid$4)) or uninterrupt$4 or ups)near5 (power or supply)) with ((multiple or plural$4 or more or multi$pack)near4 batter$3)) and ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 power)	EPO; JPO; DERWENT	2004/02/10 13:35
78	BRS	15	(((fault near2 (toleran$3 or avoid$4)) or uninterrupt$4 or ups)near5 (power or supply)) with ((multiple or plural$4 or more or multi$pack)near4 batter$3)	EPO; JPO; DERWENT	2004/02/10 13:36
79	BRS	36	((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 power)	USPAT; US-PGPUB; IBM_TDB	2004/02/10 13:41
80	BRS	254	((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with (detach$3 or attach$3 or mount$3)	USPAT; US-PGPUB; IBM_TDB	2004/02/10 14:21
81	BRS	148	(((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with (detach$3 or attach$3 or mount$3)) and ((process$4 or operat$4 or function$4 or capabilit$4 or abilit$4)near5 (control$4 or switch$4 or select$4))	USPAT; US-PGPUB; IBM_TDB	2004/02/10 14:23

	Typ e	Hits	Search Text	DBs	Time Stamp
82	BRS	0	(((((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with (detach$3 or attach$3 or mount$3)) and ((process$4 or operat$4 or function$4 or capabilit$4 or abilit$4)near5 (control$4 or switch$4 or select$4))) and ((batter$4 near5 (remov$4 or detach$4 or attach$4 or mount$4 or dismount$4 or insert$4 or plug$4in))with (detect$4 or deci$4 or determin$6 or find$4))) and((lower$3 or reduc$4 or minimiz$6 or control$4 or switch$3))near6 (capabilit$4 or abilit$4 or speed or operat$4 or mode or functional$3)	EPO; JPO; DERWEN T	2004/02/10 14:28
83	BRS	0	(((((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with (detach$3 or attach$3 or mount$3)) and ((process$4 or operat$4 or function$4 or capabilit$4 or abilit$4)near5 (control$4 or switch$4 or select$4))) and ((batter$4 near5 (remov$4 or detach$4 or attach$4 or mount$4 or dismount$4 or insert$4 or plug$4in))with (detect$4 or deci$4 or determin$6 or find$4))) and ((power$sav$3 or low$pwer or suspend or in$active)near3 (state or mode))	EPO; JPO; DERWEN T	2004/02/10 14:29
84	BRS	35	((((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with (detach$3 or attach$3 or mount$3)) and ((process$4 or operat$4 or function$4 or capabilit$4 or abilit$4)near5 (control$4 or switch$4 or select$4))) and ((batter$4 near5 (remov$4 or detach$4 or attach$4 or mount$4 or dismount$4 or insert$4 or plug$4in))with (detect$4 or deci$4 or determin$6 or find$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 14:29

	Type	Hits	Search Text	DBs	Time Stamp
85	BRS	27	(((((apparatus or device or system)near6 ((multiple or plural$4 or more)near3 batter$3)) with (detach$3 or attach$3 or mount$3)) and ((process$4 or operat$4 or function$4 or capabilit$4 or abilit$4)near5 (control$4 or switch$4 or select$4))) and ((batter$4 near5 (remov$4 or detach$4 or attach$4 or mount$4 or dismount$4 or insert$4 or plug$4in))with (detect$4 or deci$4 or determin$6 or find$4))) and @ad<20000917	USPAT; US-PGP UB; IBM_TD B	2004/02/10 15:28
86	BRS	187	((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) with ((chang$3 or remov$4 or detach$4)near6 batter$3)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 15:39
87	BRS	22	((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) same ((detect$4 or determin$5 or deci$6)near4 ((chang$3 or remov$4 or detach$4)near6 batter$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 15:39
88	BRS	319	((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) and ((detect$4 or determin$5 or deci$6)near4 ((chang$3 or remov$4 or detach$4)near6 batter$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 15:22
89	BRS	1	(((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) with ((detect$4 or determin$5 or deci$6)near4 ((chang$3 or remov$4 or detach$4)near6 batter$3))) and ((control$4 or lower$3 or reduc$4) near6 (processing near5 (capabilit$3 or function$3 or operat$4 or abilit$4)))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 15:28
90	BRS	8	((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) with ((detect$4 or determin$5 or deci$6)near4 ((chang$3 or remov$4 or detach$4)near6 batter$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 15:25

	Typ e	Hits	Search Text	DBs	Time Stamp
91	BRS	1	(((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) same ((detect$4 or determin$5 or deci$6)near4 ((chang$3 or remov$4 or detach$4)near6 batter$3))) and ((control$4 or lower$3 or reduc$4) near6 (processing near5 (capabilit$3 or function$3 or operat$4 or abilit$4)))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 15:28
92	BRS	13	(((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) and ((detect$4 or determin$5 or deci$6)near4 ((chang$3 or remov$4 or detach$4)near6 batter$3))) and ((control$4 or lower$3 or reduc$4) near6 (processing near5 (capabilit$3 or function$3 or operat$4 or abilit$4)))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 15:29
93	BRS	75	(((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) and @ad<20000917) and ((control$4 or lower$3 or reduc$4) near6 (processing near5 (capabilit$3 or function$3 or operat$4 or abilit$4)))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 15:39
94	BRS	8	((((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) and ((detect$4 or determin$5 or deci$6)near4 ((chang$3 or remov$4 or detach$4)near6 batter$3))) and ((control$4 or lower$3 or reduc$4) near6 (processing near5 (capabilit$3 or function$3 or operat$4 or abilit$4)))) and @ad<20000917	USPAT; US-PGP UB; IBM_TD B	2004/02/10 15:29
95	BRS	8	((((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) and @ad<20000917) and ((control$4 or lower$3 or reduc$4) near6 (processing near5 (capabilit$3 or function$3 or operat$4 or abilit$4)))) and ((detect$4 or determin$5 or deci$6)near4 ((chang$3 or remov$4 or detach$4)near6 batter$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 15:38

	Typ e	Hits	Search Text	DBs	Time Stamp
96	BRS	741	(apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)	EPO; JPO; DERWEN T	2004/02/10 16:09
97	BRS	30	((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) with ((chang$3 or remov$4 or detach$4)near6 batter$3)	EPO; JPO; DERWEN T	2004/02/10 15:39
98	BRS	0	(((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) with ((chang$3 or remov$4 or detach$4)near6 batter$3)) and ((control$4 or lower$3 or reduc$4) near6 (processing near5 (capabilit$3 or function$3 or operat$4 or abilit$4)))	EPO; JPO; DERWEN T	2004/02/10 15:40
99	BRS	4	((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3)) same ((detect$4 or determin$5 or deci$6)near4 ((chang$3 or remov$4 or detach$4)near6 batter$3))	EPO; JPO; DERWEN T	2004/02/10 16:02
100	BRS	21	((reliabl$4 or stabl$4 or stabili$6)near4 operat$4)with (batter$3 near3 driv$4)	EPO; JPO; DERWEN T	2004/02/10 16:05
101	BRS	5	(((reliabl$4 or stabl$4 or stabili$6)near4 (processing or function$4 or operat$4))with (batter$3 near3 driv$4)) and ((lower$4 or reduc$4 or minimiz$6 or optimiz$7)near4 (capabilit$3 or abilit$4 or speed or process$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 16:07
102	BRS	5	(((reliabl$4 or stabl$4 or stabili$6)near4 (processing or function$4 or operat$4))with (batter$3 near3 driv$4)) and ((detect$4 or determin$6 or deci$6 or find$4 or calculat$4)near4 ((residual or remain$3 or operat$4)near3 power))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 16:08
103	BRS	10	(((reliabl$4 or stabl$4 or stabili$6)near4 (processing or function$4 or operat$4))) with ((apparatus or device or system)near6 ((multiple or plural$4 or more or multi$pack)near3 batter$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/10 16:09

	Typ e	Hits	Search Text	DBs	Time Stamp
104	BRS	24	((reliabl$4 or stabl$4 or stabili$6)near4 (processing or function$4 or operat$4))with (batter$3 near3 driv$4)	EPO; JPO; DERWEN T	2004/02/10 16:12
105	BRS	35	((reliabl$4 or stabl$4 or stabili$6)near4 (processing or function$4 or operat$4))with (batter$3 near3 driv$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/10 16:20
106	BRS	0	((select$4 near5 (alter$3 or chang$3 or control$4 or switch$3))with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))) same ((remov$3 or detach$4 or unplug$4) near4 (batter$3 or battery$pack))	USPAT; US-PGP UB; IBM_TD B	2004/02/11 09:39
107	BRS	1	((select$4 near5 (alter$3 or chang$3 or control$4 or switch$3))with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))) same ((remov$3 or detach$4 or unplug$4) near4 (requir$5 or receipt))	USPAT; US-PGP UB; IBM_TD B	2004/02/11 14:17
108	BRS	2	(((alter$3 or chang$3 or control$4 or switch$3))with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))) same ((remov$3 or detach$4 or unplug$4) near4 (batter$3 or battery$pack))	EPO; JPO; DERWEN T	2004/02/11 09:52
109	BRS	6	(((alter$3 or chang$3 or control$4 or switch$3))with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))) same ((remov$3 or detach$4 or unplug$4) near4 (batter$3 or battery$pack or power or supply))	EPO; JPO; DERWEN T	2004/02/11 09:52
110	BRS	25	(((alter$3 or chang$3 or control$4 or switch$3))with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))) with ((remov$3 or detach$4 or unplug$4) near4 (batter$3 or battery$pack or power or supply))	USPAT; US-PGP UB; IBM_TD B	2004/02/11 11:07
111	BRS	1	6259893.pn.	USPAT; US-PGP UB; IBM_TD B	2004/02/11 10:05

	Type	Hits	Search Text	DBs	Time Stamp
112	BRS	833	((prevent$4 or avoid$4 or fault$toleran$4)near6 (((error or loss)near3 (information or data))or insatab$6 or unstab$6)) and (((alter$3 or chang$3 or control$4 or switch$3))with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3)))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 11:26
113	BRS	12	((prevent$4 or avoid$4 or fault$toleran$4)near6 (((error or loss)near3 (information or data))or insatab$6 or unstab$6)) and (((alter$3 or chang$3 or control$4 or switch$3))with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3)))) and ((remov$3 or detach$4 or unplug$4)near4 (batter$3))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 12:26
114	BRS	1	5784626.pn.	USPAT; US-PGPUB; IBM_TDB	2004/02/11 12:29
115	BRS	27	((device or appratus or equipment or system)near6 ((multiple or plural$3 or many or more or multi$pack)near4 (batter$3 or suppl$3 or battery$pack))) same ((remov$3 or detach$4 or unplug$4)near6 ((part or one) near5 (batter$3 or batterypack$)))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 13:02
116	BRS	0	(((device or appratus or equipment or system)near6 ((multiple or plural$3 or many or more or multi$pack)near4 (batter$3 or suppl$3 or battery$pack))) same ((remov$3 or detach$4 or unplug$4)near6 ((part or one) near5 (batter$3 or batterypack$)))) and ((alter$3 or chang$3 or control$4 or switch$3) with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3)))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 12:34

	Type	Hits	Search Text	DBs	Time Stamp
117	BRS	627	((device or appratus or equipment or system)near6 ((multiple or plural$3 or many or more or multi$pack)near4 (batter$3 or suppl$3 or battery$pack))) and ((alter$3 or chang$3 or control$4 or switch$3) with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3)))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 12:46
118	BRS	2	(((device or appratus or equipment or system)near6 ((multiple or plural$3 or many or more or multi$pack)near4 (batter$3 or suppl$3 or battery$pack))) same ((remov$3 or detach$4 or unplug$4)near6 ((part or one) near5 (batter$3 or batterypack$)))) and ((alter$3 or chang$3 or control$4 or switch$3) with ((processing or operat$4) near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3)))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 12:35
119	BRS	56	((device or appratus or equipment or system or power or supply)near6 ((multiple or plural$3 or many or more or multi$pack)near4 (batter$3 or suppl$3 or battery$pack))) same ((remov$3 or detach$4 or unplug$4)near6 ((part or one) near5 (batter$3 or batterypack$)))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 13:49
120	BRS	3	(((device or appratus or equipment or system or power or supply)near6 ((multiple or plural$3 or many or more or multi$pack)near4 (batter$3 or suppl$3 or battery$pack))) same ((remov$3 or detach$4 or unplug$4)near6 ((part or one) near5 (batter$3 or batterypack$)))) and ((alter$3 or chang$3 or control$4 or switch$3) with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3)))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 14:06

	Type	Hits	Search Text	DBs	Time Stamp
121	BRS	9	(((device or appratus or equipment or system or power or supply)near6 ((multiple or plural$3 or many or more or multi$pack)near4 (batter$3 or suppl$3 or battery$pack))) same ((remov$3 or detach$4 or unplug$4)near6 ((part or one) near5 (batter$3 or batterypack$)))) and ((alter$3 or chang$3 or control$4 or switch$3) with ((operat$4 or processing) near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3)))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 13:00
122	BRS	183	(((operat$4 or processing) near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))with ((secondary or auxilary)near3 battery))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 14:00
123	BRS	8	((((operat$4 or processing) near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))with ((secondary or auxilary)near3 battery))) and ((remov$3 or detach$4 or unplug$4)near6 ((part or one or primary) near5 (batter$3 or batterypack$)))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 13:39
124	BRS	1	5949792.pn.	USPAT; US-PGPUB; IBM_TDB	2004/02/11 13:39
125	BRS	9	((device or appratus or equipment or system or power or supply)near6 ((multiple or plural$3 or many or more or multi$pack)near4 (batter$3 or suppl$3 or battery$pack))) same ((remov$3 or detach$4 or unplug$4)near6 ((part or one) near5 (batter$3 or batterypack$)))	EPO; JPO; DERWENT	2004/02/11 14:00
126	BRS	158	(((operat$4 or processing) near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))with ((secondary or auxilary)near3 battery))	EPO; JPO; DERWENT	2004/02/11 14:14

	Type	Hits	Search Text	DBs	Time Stamp
127	BRS	0	((((operat$4 or processing) near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))with ((secondary or auxilary)near3 battery))) and ((remov$3 or detach$4 or unplug$4)near6 ((part or one) near5 (batter$3 or batterypack$)))	EPO; JPO; DERWENT	2004/02/11 14:04
128	BRS	2	((((operat$4 or processing) near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))with ((secondary or auxilary)near3 battery))) same ((remov$3 or detach$4 or unplug$4)near6 ((batter$3 or batterypack$)))	EPO; JPO; DERWENT	2004/02/11 14:01
129	BRS	0	(((simultaneous$3 or concurrent43) near4(remov$3 or detach$4 or unplug$4))near6 ((batter$3 or batterypack$))·) and ((alter$3 or chang$3 or control$4 or switch$3) with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3)))	EPO; JPO; DERWENT	2004/02/11 14:06
130	BRS	21	((simultaneous$3 or concurrent43) near4(remov$3 or detach$4 or unplug$4))near6 ((batter$3 or batterypack$))	EPO; JPO; DERWENT	2004/02/11 14:13
131	BRS	70	((simultaneous$3 or concurrent43) near4(remov$3 or detach$4 or unplug$4))near6 ((batter$3 or batterypack$))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 14:12
132	BRS	23	((simultaneous$3 or concurrent$3) near4(remov$3 or detach$4 or unplug$4))near6 ((batter$3 or batterypack$))	EPO; JPO; DERWENT	2004/02/11 14:13
133	BRS	0	(((simultaneous$3 or concurrent43) near4(remov$3 or detach$4 or unplug$4))near6 ((batter$3 or batterypack$))) and (((operat$4 or processing) near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))with ((secondary or auxilary)near3 battery))	EPO; JPO; DERWENT	2004/02/11 14:14

	Type	Hits	Search Text	DBs	Time Stamp
134	BRS	1	(((simultaneous$3 or concurrent43) near4(remov$3 or detach$4 or unplug$4))near6 ((batter$3 or batterypack$))) and (((alter$3 or chang$3 or control$4 or switch$3))with ((processing or operat44) near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3)))	USPAT; US-PGP UB; IBM_TD B	2004/02/11 14:15
135	BRS	4	(((simultaneous$3 or concurrent$3) near4(remov$3 or detach$4 or unplug$4))near6 ((batter$3 or batterypack$))) and ((multiple or plural$3 or many or more or multi$pack)near4 (batter$3 or suppl$3 or battery$pack))	EPO; JPO; DERWEN T	2004/02/11 14:17
136	BRS	11	((((simultaneous$3 or concurrent43) near4(remov$3 or detach$4 or unplug$4))near6 ((batter$3 or batterypack$))) and ((multiple or plural$3 or many or more or multi$pack)near4 (batter$3 or suppl$3 or battery$pack))) and ((remov$3 or detach$4 or unplug$4) near4 (requir$5 or receipt))	USPAT; US-PGP UB; IBM_TD B	2004/02/11 14:17
137	BRS	1	(((simultaneous$3 or concurrent43) near4(remov$3 or detach$4 or unplug$4))near6 ((batter$3 or batterypack$))) and ((alter$3 or chang$3 or control$4 or switch$3))with (processing near4 (abilit$3 or capabilit$4 or mode$1 or stat$1 or function$5 or speed or frequenc$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/11 14:18
138	BRS	50	(((simultaneous$3 or concurrent43) near4(remov$3 or detach$4 or unplug$4))near6 ((batter$3 or batterypack$))) and ((multiple or plural$3 or many or more or multi$pack)near4 (batter$3 or suppl$3 or battery$pack))	USPAT; US-PGP UB; IBM_TD B	2004/02/11 14:29
139	BRS	0	((data near4 (loss or error or unsatabl$3 or instabl$3))near6 (protect$4 or provision$3 or avoid$4))with ((plural$3 or multple or multi$pack or many or more)near4 (batter$3 or battery$pack$1))	USPAT; US-PGP UB; IBM_TD B	2004/02/11 14:32

	Typе	Hits	Search Text	DBs	Time Stamp
140	BRS	2	((data near4 (loss or error or unsatabl$3 or instabl$3))near6 (protect$4 or provision$3 or avoid$4))same((plural$3 or multple or multi$pack or many or more)near4 (batter$3 or battery$pack$1))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 14:33
141	BRS	0	((data near4 (loss or error or unsatabl$3 or instabl$3))near6 (protect$4 or provision$3 or avoid$4))same((remoov$4 or detach$4)near4 (batter$3 or battery$pack$1))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 14:33
142	BRS	7	((data near4 (loss or error or unsatabl$3 or instabl$3))near6 (protect$4 or provision$3 or avoid$4))and((remoov$4 or detach$4)near4 (batter$3 or battery$pack$1))	USPAT; US-PGPUB; IBM_TDB	2004/02/11 14:33
143	BRS	470	((mode or state or speed) near5 (switch$4 or alter$5 or chang$4))with ((batter$3 or battery$pack)near5(detach$4 or remov$4 or disconnect$4))	USPAT; US-PGPUB; IBM_TDB	2004/02/12 08:23
144	BRS	130	(((mode or state or speed) near5 (switch$4 or alter$5 or chang$4))with ((batter$3 or battery$pack)near5(detach$4 or remov$4 or disconnect$4))) same (request$4 or requir$5 or necessitat$3 or instan$7 or inspir$4 or respons$4)	USPAT; US-PGPUB; IBM_TDB	2004/02/12 08:26
145	BRS	57	(((mode or state or speed) near5 (switch$4 or alter$5 or chang$4))with ((batter$3 or battery$pack)near5(detach$4 or remov$4 or disconnect$4))) with (request$4 or requir$5 or necessitat$3 or instan$7 or inspir$4 or respons$4)	USPAT; US-PGPUB; IBM_TDB	2004/02/12 08:26
146	BRS	4	((((mode or state or speed) near5 (switch$4 or alter$5 or chang$4))with ((batter$3 or battery$pack)near5(detach$4 or remov$4 or disconnect$4))) with (request$4 or requir$5 or necessitat$3 or instan$7 or inspir$4 or respons$4)) and ((lower$3 or sleep or idle or reduc$4)near6 (processing or function$3 or operat$6) near5 (capabilit$3 or abilit$4 or mode or state))	USPAT; US-PGPUB; IBM_TDB	2004/02/12 08:30

	Typ e	Hits	Search Text	DBs	Time Stamp
147	BRS	37	((((mode or state or speed) near5 (switch$4 or alter$5 or chang$4))with ((batter$3 or battery$pack)near5(detach$4 or remov$4 or disconnect$4))) with (request$4 or requir$5 or necessitat$3 or instan$7 or inspir$4 or respons$4)) and ((processing or function$3 or operat$6) near5 (capabilit$3 or abilit$4 or mode or state))	USPAT; US-PGP UB; IBM_TD B	2004/02/12 08:31
148	BRS	1386	(remov$4 or detach$4)near6 ((part or few or one or some)near4 batter$3)	USPAT; US-PGP UB; IBM_TD B	2004/02/23 10:08
149	BRS	3	((remov$4 or detach$4)near6 ((part or few or one or some)near4 batter$3)) same ((lower$3 or reduc$5 or minimiz$6 or alter$3 or chang$3 or switch$3)with (processing near4(abilit$3 or capabilit$4 or function$4 or mode or speed or frequenc$3)))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 08:24
150	BRS	10	(((remov$4 or detach$4)near6 ((part or few or one or some)near4 batter$3)) same ((lower$3 or reduc$5 or minimiz$6 or alter$3 or chang$3 or switch$3)with (abilit$3 or capabilit44 or function$4 or mode or speed or frequenc$3))) and ((remov$4 or detach$4)near5 (detect$4 or sens$4 or recogniz$7 or identif$6 or determin$6))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 10:43
151	BRS	45	((remov$4 or detach$4)near6 ((part or few or one or some)near4 batter$3)) same ((lower$3 or reduc$5 or minimiz$6 or alter$3 or chang$3 or switch$3)with (abilit$3 or capabilit44 or function$4 or mode or speed or frequenc$3))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 10:08
152	BRS	617	(remov$4 or detach$4)near6 ((part or few or one or some)near4 batter$3)	EPO; JPO; DERWEN T	2004/02/23 10:08
153	BRS	16	((remov$4 or detach$4)near6 ((part or few or one or some)near4 batter$3)) same ((lower$3 or reduc$5 or minimiz$6 or alter$3 or chang$3 or switch$3)with (abilit$3 or capabilit44 or function$4 or mode or speed or frequenc$3))	EPO; JPO; DERWEN T	2004/02/23 10:08

	Type	Hits	Search Text	DBs	Time Stamp
154	BRS	16	((remov$4 or detach$4)near6 ((part or few or one or some)near4 batter$3)) same ((lower$3 or reduc$5 or minimiz$6 or alter$3 or chang$3 or switch$3)with (abilit$3 or capabilit$4 or function$4 or mode or speed or frequenc$3))	EPO; JPO; DERWENT	2004/02/23 10:08
155	BRS	1	5974556.pn.	USPAT; US-PGPUB; IBM_TDB	2004/02/23 10:43
156	BRS	141	((simultaneous$3 or concurrent$3) near4(mount$3 or attach$4 or plug$4 or insert$4))near6 ((batter$3 or batterypack$))	USPAT; US-PGPUB; IBM_TDB	2004/02/23 12:38
157	BRS	1	(((simultaneous$3 or concurrent$3) near4(mount$3 or attach$4 or plug$4 or insert$4))near6 ((batter$3 or batterypack$))) with (detach$5 near6 independent$4)	USPAT; US-PGPUB; IBM_TDB	2004/02/23 12:29
158	BRS	1	(((simultaneous$3 or concurrent$3) near4(mount$3 or attach$4 or plug$4 or insert$4))near6 ((batter$3 or batterypack$))) same (detach$5 near6 independent$4)	USPAT; US-PGPUB; IBM_TDB	2004/02/23 12:29
159	BRS	1	(((simultaneous$3 or concurrent$3) near4(mount$3 or attach$4 or plug$4 or insert$4))near6 ((batter$3 or batterypack$))) and (detach$5 near6 independent$4)	USPAT; US-PGPUB; IBM_TDB	2004/02/23 12:34
160	BRS	1	((pluralit$3 or multiple or many or more)near5 (batter$4 or batterypack$1))with (detach$5 near6 independent$4)	USPAT; US-PGPUB; IBM_TDB	2004/02/23 12:31
161	BRS	4	((pluralit$3 or multiple or many or more)near5 (batter$4 or batterypack$1))with ((detach$5 or remov$4) near6 independent$4)	USPAT; US-PGPUB; IBM_TDB	2004/02/23 14:30
162	BRS	2	(((simultaneous$3 or concurrent$3) near4(mount$3 or attach$4 or plug$4 or insert$4))near6 ((batter$3 or batterypack$))) and ((detach$5 or remov$4 or unplug$4) near6 independent$4)	USPAT; US-PGPUB; IBM_TDB	2004/02/23 12:36
163	BRS	54	((simultaneous$3 or concurrent$3) near4(mount$3 or attach$4 or plug$4 or insert$4))near6 ((batter$3 or batterypack$))	EPO; JPO; DERWENT	2004/02/23 12:36

	Type	Hits	Search Text	DBs	Time Stamp
164	BRS	0	(((simultaneous$3 or concurrent$3) near4(mount$3 or attach$4 or plug$4 or insert$4))near6 ((batter$3 or batterypack$))) and ((detach$5 or remov$4 or unplug$4) near6 independent$4)	EPO; JPO; DERWENT	2004/02/23 12:37
165	BRS	1	(((simultaneous$3 or concurrent$3) near4(mount$3 or attach$4 or plug$4 or insert$4))near6 ((batter$3 or batterypack$))) and ((detach$5 or remov$4 or unplug$4) near6 (detect$4 or identif$6 or recogni$7 or determin$7))	EPO; JPO; DERWENT	2004/02/23 12:44
166	BRS	85	((smart adj3 (batter$3 or batterypack$)) with memory)	USPAT; US-PGPUB; IBM_TDB	2004/02/23 12:40
167	BRS	0	(((smart adj3 (batter$3 or batterypack$)) with memory)) and ((alter$5 or swich$4 or chang$4) near6 (processing near4 (capabilit$4 or abilit$4 or speed or frequenc$4 or mode or function$4)))	USPAT; US-PGPUB; IBM_TDB	2004/02/23 12:44
168	BRS	9	(((((smart adj3 (batter$3 or batterypack$)) with memory)) and ((detach$5 or remov$4 or unplug$4) near6 (requir$6 or detect$4 or identif$6 or recogni$7 or determin$7))) and ((processing near4 (capabilit$4 or abilit$4 or speed or frequenc$4 or mode or function$4)))) and ((detect$4 or identif$6 or recogni$7 or determin$7)near5 (supply or power or current))	USPAT; US-PGPUB; IBM_TDB	2004/02/23 12:46
169	BRS	12	((((smart adj3 (batter$3 or batterypack$)) with memory)) and ((detach$5 or remov$4 or unplug$4) near6 (requir$6 or detect$4 or identif$6 or recogni$7 or determin$7))) and ((processing near4 (capabilit$4 or abilit$4 or speed or frequenc$4 or mode or function$4)))	USPAT; US-PGPUB; IBM_TDB	2004/02/23 12:55

	Typ e	Hits	Search Text	DBs	Time Stamp
170	BRS	16	((((smart adj3 (batter$3 or batterypack$)) with memory)) and ((processing near4 (capabilit$4 or abilit$4 or speed or frequenc$4 or mode or function$4)))) and ((detect$4 or identif$6 or recogni$7 or determin$7)near5 (supply or power or current))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 12:57
171	BRS	22	(((smart adj3 (batter$3 or batterypack$)) with memory)) and ((processing near4 (capabilit$4 or abilit$4 or speed or frequenc$4 or mode or function$4)))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 14:27
172	BRS	22	(((smart adj3 (batter$3 or batterypack$)) with memory)) and ((detach$5 or remov$4 or unplug$4) near6 (requir$6 or detect$4 or identif$6 or recogni$7 or determin$7))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 13:36
173	BRS	0	(remov$4 near3 requir45)with ((part or few or some or selecti$4)near6 batter$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/23 13:37
174	BRS	1	((remov$4 near3 requir$5)with ((part or few or some or selecti$4)near6 batter$4)) and (processing near4 (abilit$4 or capabili$4 or function$8 or mode or operat$4 or speed))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 13:39
175	BRS	11	((remov$4 near3 requir$5)with ((part or few or some or selecti$4)near6 batter$4)) and ((abilit$4 or capabili$4 or function$8 or mode or operat$4 or speed))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 13:39
176	BRS	11	(remov$4 near3 requir$5)with ((part or few or some or selecti$4)near6 batter$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/23 14:31
177	BRS	193	(((processing near4 (capabilit$4 or abilit$4 or speed or frequenc$4 or mode or function$4)))near6 (control$4 or switch$3 or alter$6 or chang$4 or reduc$6 or lower$4)) and ((pluralit$3 or multiple)near5 (batter$4 or batterypack$1))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 14:34

	Typ e	Hits	Search Text	DBs	Time Stamp
178	BRS	1	((((processing near4 (capabilit$4 or abilit$4 or speed or frequenc$4 or mode or function$4)))near6 (control$4 or switch$3 or alter$6 or chang$4 or reduc$6 or lower$4)) and ((pluralit$3 or multiple)near5 (batter$4 or batterypack$1))) and ((remov$4 near3 requir$5)with ((part or few or some or selecti$4)near6 batter$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 14:32
179	BRS	1	((((processing near4 (capabilit$4 or abilit$4 or speed or frequenc$4 or mode or function$4)))near6 (control$4 or switch$3 or alter$6 or chang$4 or reduc$6 or lower$4)) and ((pluralit$3 or multiple)near5 (batter$4 or batterypack$1))) and (((remov$4 or detach$6 or unplug$4) near3 requir$5)with ((part or few or some or selecti$4)near6 batter$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 14:32
180	BRS	12	(((remov$4 or detach$6 or unplug$4) near3 requir$5)with ((part or few or some or selecti$4)near6 batter$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 14:32
181	BRS	9	((((pluralit$3 or multiple)near5 (batter$4 or batterypack$1))with (mang$5 or discharg$4 or control$4 or replac$6 or chang$4 or switch$4 or remov$4)) and (((processing near4 (capabilit$4 or abilit$4 or speed or frequenc$4 or mode or function$4)))near6 (control$4 or switch$3 or alter$6 or chang$4 or reduc$6 or lower$4))) and ((detect$4 or determin$6 or recogni$7 or identifi$7)near5 (remov$4 or detach$4 or unplug$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 15:14
182	BRS	1	(((pluralit$3 or multiple)near5 (batter$4 or batterypack$1))near5 (detachably near3 mount$4)) and (((processing near4 (capabilit$4 or abilit$4 or speed or frequenc$4 or mode or function$4)))near6 (control$4 or switch$3 or alter$6 or chang$4 or reduc$6 or lower$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 15:14
183	BRS	15	((pluralit$3 or multiple)near5 (batter$4 or batterypack$1))near5 (detachably near3 mount$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/23 15:14

	Typ e	Hits	Search Text	DBs	Time Stamp
184	BRS	2	(((pluralit$3 or multiple)near5 (batter$4 or batterypack$1))near5 (detachably near3 mount$4)) and ((detect$4 or determin$6 or recogni$7 or identifi$7)near5 (remov$4 or detach$4 or unplug$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 15:14
185	BRS	69	(((pluralit$3 or multiple)near5 (batter$4 or batterypack$1))with (mang$5 or discharg$4 or control$4 or replac$6 or chang$4 or switch$4 or remov$4)) and (((processing near4 (capabilit$4 or abilit$4 or speed or frequenc$4 or mode or function$4)))near6 (control$4 or switch$3 or alter$6 or chang$4 or reduc$6 or lower$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/23 15:20
186	BRS	438	(((selecti$4 or adapt$5)near6 (control$4 or reduc$6 or lower$4 or switch$4))) same (respons$6 near6 (remov$4 or de$tach$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/24 16:47
187	BRS	5	(((selecti$4 or adapt$5)near6 (control$4 or reduc$6 or lower$4 or switch$4))) same ((respons$6 near6 (remov$4 or de$tach$4))with batter$3)	USPAT; US-PGP UB; IBM_TD B	2004/02/24 16:52
188	BRS	0	(((((selecti$4 or adapt$5)near6 (control$4 or reduc$6 or lower$4 or switch$4))) same (respons$6 near6 (remov$4 or de$tach$4))) same (((process$4 near4 (capabilit$5 or abilit$5 or speed or frequenc$4))or function$6))) and ((respons$6 near6 (remov$4 or de$tach$4))with batter$3)	USPAT; US-PGP UB; IBM_TD B	2004/02/24 16:50
189	BRS	43	((((selecti$4 or adapt$5)near6 (control$4 or reduc$6 or lower$4 or switch$4))) same (respons$6 near6 (remov$4 or de$tach$4))) same (((process$4 or operat$4) near4 (capabilit$5 or abilit$5 or speed or frequenc$4))or function$6)	USPAT; US-PGP UB; IBM_TD B	2004/02/24 16:52
190	BRS	0	(((((selecti$4 or adapt$5)near6 (control$4 or reduc$6 or lower$4 or switch$4))) same (respons$6 near6 (remov$4 or de$tach$4))) same (((process$4 or operat$4) near4 (capabilit$5 or abilit$5 or speed or frequenc$4))or function$6)) and (((respons$6 or request$4) near6 (remov$4 or de$tach$4))with batter$3)	USPAT; US-PGP UB; IBM_TD B	2004/02/24 16:53

	Type	Hits	Search Text	DBs	Time Stamp
191	BRS	169	(((respons$6 or request$4) near6 (remov$4 or de$tach$4))with batter$3)	USPAT; US-PGP UB; IBM_TD B	2004/02/24 16:54
192	BRS	5	(((selecti$4 or adapt$5)near6 (control$4 or reduc$6 or lower$4 or switch$4))) same (((respons$6 or request$4) near6 (remov$4 or de$tach$4))with batter$3)	USPAT; US-PGP UB; IBM_TD B	2004/02/24 16:54
193	BRS	976	((selecti$4 or adapt$5)near6 (remov$4 or de$tach$4)) with batter$3	USPAT; US-PGP UB; IBM_TD B	2004/02/24 16:56
194	BRS	0	((selecti$4 or adapt$5)near6 (remov$4 or de$tach$4)) with (deatachab$4 near5 batter$3)	USPAT; US-PGP UB; IBM_TD B	2004/02/24 17:00
195	BRS	37	((((selecti$4 or adapt$5)near6 (control$4 or reduc$6 or lower$4 or switch$4))) same (respons$6 near6 (remov$4 or de$tach$4))) same (((process$4 near4 (capabilit$5 or abilit$5 or speed or frequenc$4))or function$6))	USPAT; US-PGP UB; IBM_TD B	2004/02/24 16:58
196	BRS	568	((batter$3 near6 (remov$4 or de$tach$4)) with (request$4 or signal))	USPAT; US-PGP UB; IBM_TD B	2004/02/24 17:01
197	BRS	26	(((batter$3 near6 (remov$4 or de$tach$4)) with (request$4 or signal))) and ((selecti$4 or adapt$5)near6 (control$4 or reduc$6 or lower$4 or switch$4)) with (((process$4 near4 (capabilit$5 or abilit$5 or speed or frequenc$4))or function$6))	USPAT; US-PGP UB; IBM_TD B	2004/02/24 17:03
198	BRS	7	(display$4 near5 (inhibit$4 or accept$4 or allow$4 or prohibit$4)) with (battery near4 (remov$4 or detach$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/25 15:49
199	BRS	0	JP-2002091628-A.DID. near5 batter$3	USPAT; US-PGP UB; IBM_TD B	2004/02/25 15:15

	Type	Hits	Search Text	DBs	Time Stamp
200	BRS	219	((display$4 near5 (inhibit$4 or accept$4 or allow$4 or prohibit$4))) near5 batter$3	USPAT; US-PGPUB; IBM_TDB	2004/02/25 15:35
201	BRS	14	(((display$4 near5 (inhibit$4 or accept$4·or allow$4 or prohibit$4))) near5 batter$3) same (remov$4 or detach$4)	USPAT; US-PGPUB; IBM_TDB	2004/02/25 15:35
202	BRS	2	(display$4 near5 (inhibit$4 or accept$4 or allow$4 or prohibit$4)) with (battery near4 (remov$4 or detach$4))	EPO; JPO; DERWENT	2004/02/25 15:29
203	BRS	231	((inhibit$4 or accept$4 or allow$4 or prohibit$4)) near6 (battery near4 (remov$4 or detach$4))	EPO; JPO; DERWENT	2004/02/25 15:24
204	BRS	9	(((inhibit$4 or accept$4 or allow$4 or prohibit$4)) near6 (battery near4 (remov$4 or detach$4))) same display$4	EPO; JPO; DERWENT	2004/02/25 15:27
205	BRS	10	(((inhibit$4 or accept$4 or allow$4 or prohibit$4)) near6 (battery near4 (remov$4 or detach$4))) same (led$1 or display$4)	EPO; JPO; DERWENT	2004/02/25 15:28
206	BRS	2	((display$4 or led) near5 (inhibit$4 or accept$4 or allow$4 or prohibit$4)) with (battery near4 (remov$4 or detach$4))	EPO; JPO; DERWENT	2004/02/25 15:29
207	BRS	1	((display$4 or led) near5 (inhibit$4 or restrict$4 or prohibit$4)) with (battery near4 (remov$4 or detach$4))	USPAT; US-PGPUB; IBM_TDB	2004/02/25 15:30
208	BRS	2	((display$4 or led or warn$4) near5 (inhibit$4 or restrict$4 or prohibit$4)) with (battery near4 (remov$4 or detach$4))	USPAT; US-PGPUB; IBM_TDB	2004/02/25 15:30
209	BRS	11	((display$4 or led) near5 (inhibit$4 or accept$4 or allow$4 or prohibit$4)) with (battery near4 (remov$4 or detach$4))	USPAT; US-PGPUB; IBM_TDB	2004/02/25 15:31
210	BRS	592	(((display$4 or led or messag$4 or provi$6) near5 (inhibit$4 or accept$4 or allow$4 or prohibit$4))) near5 batter$3	USPAT; US-PGPUB; IBM_TDB	2004/02/25 15:35

	Type	Hits	Search Text	DBs	Time Stamp
211	BRS	45	((((display$4 or led or messag$4 or provi$6) near5 (inhibit$4 or accept$4 or allow$4 or prohibit$4))) near5 batter$3) same (remov$4 or detach$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/25 15:35
212	BRS	19	((display$4 or visual$7 or indicat$4) near5 (inhibit$4 or accept$4 or allow$4 or prohibit$4)) with (battery near4 (remov$4 or detach$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/25 15:53
213	BRS	8	((display$4 or visual$7 or indicat$4) near5 (inhibit$4 or accept$4 or allow$4 or prohibit$4)) with (battery near4 (remov$4 or detach$4))	EPO; JPO; DERWEN T	2004/02/25 16:38
214	BRS	619	((inhibit$4 or restrict$4 or prohibit$4 or control$4)) near6 (battery near4 (remov$4 or detach$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:44
215	BRS	105	(((inhibit$4 or restrict$4 or prohibit$4 or control$4)) near6 (battery near4 (remov$4 or detach$4))) same (display$4 or led or indicat$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:43
216	BRS	48	(((inhibit$4 or restrict$4 or prohibit$4 or control$4)) near6 (battery near4 (remov$4 or detach$4))) with (display$4 or led or indicat$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:41
217	BRS	2	((((inhibit$4 or restrict$4 or prohibit$4 or control$4)) near6 (battery near4 (remov$4 or detach$4))) with (display$4 or led or indicat$4)) same ((remain$4 or secondary)with (power$4 or capacity))	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:44
218	BRS	935	(display$4 or led or indicat$4)with (battery near4 (remov$4 or detach$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:50
219	BRS	124	((display$4 or led or indicat$4)with (battery near4 (remov$4 or detach$4))) with (inhibit$4 or restrict$4 or prohibit$4 or control$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:50

	Type	Hits	Search Text	DBs	Time Stamp
220	BRS	5	(((display$4 or led or indicat$4)with (battery near4 (remov$4 or detach$4))) with (inhibit$4 or restrict$4 or prohibit$4 or control$4)) same ((remain$4 or secondary)with (power$4 or capacity))	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:50
221	BRS	2	((((inhibit$4 or restrict$4 or prohibit$4 or control$4)) near6 (battery near4 (remov$4 or detach$4))) with (display$4 or led or indicat$4)) same ((remain$4 or secondary)with (power$4 or capacity))	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:48
222	BRS	8	((((inhibit$4 or restrict$4 or prohibit$4 or control$4)) near6 (battery near4 (remov$4 or detach$4))) same (display$4 or led or indicat$4)) same ((remain$4 or secondary)with (power$4 or capacity))	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:50
223	BRS	955	(display$4 or led or indicat$4 visual$6)with (battery near4 (remov$4 or detach$4))	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:50
224	BRS	125	((display$4 or led or indicat$4 visual$6)with (battery near4 (remov$4 or detach$4))) with (inhibit$4 or restrict$4 or prohibit$4 or control$4)	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:50
225	BRS	5	(((display$4 or led or indicat$4 visual$6)with (battery near4 (remov$4 or detach$4))) with (inhibit$4 or restrict$4 or prohibit$4 or control$4)) same ((remain$4 or secondary)with (power$4 or capacity))	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:50
226	BRS	36	(((inhibit$4 or restrict$4 or prohibit$4 or control$4)) near6 (battery near4 (remov$4 or detach$4))) same ((remain$4 or secondary)with (power$4 or capacity))	USPAT; US-PGP UB; IBM_TD B	2004/02/25 16:51
227	BRS	2	(((mount$4 or attach$4 or insert$4 or remov$4 or detach$4)near4 (detect$4 or recogni$7 or sens$4))with ((plural$4 or multiple)near4 batter$4)) same ((lower$4 or control$4 or switch$4)near5 (mode or function$6 or capabilit$4 or abilit$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/01 13:29

	Typ e	Hits	Search Text	DBs	Time Stamp
228	BRS	20	(((mount$4 or attach$4 or insert$4 or remov$4 or detach$4)near4 (detect$4 or recogni$7 or sens$4))with ((plural$4 or multiple)near4 batter$4)) and ((lower$4 or control$4 or switch$4)near5 (mode or function$6 or capabilit$4 or abilit$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/01 16:42
229	BRS	46	((mount$4 or attach$4 or insert$4 or remov$4 or detach$4)near4 (detect$4 or recogni$7 or sens$4))with ((plural$4 or multiple)near4 batter$4)	USPAT; US-PGP UB; IBM_TD B	2004/03/01 13:54
230	BRS	12	((mount$4 or attach$4 or insert$4 or remov$4 or detach$4)near4 (detect$4 or recogni$7 or sens$4))with ((plural$4 or multiple)near4 batter$4)	EPO; JPO; DERWEN T	2004/03/01 16:40
231	BRS	213	(batter$3 near4 (remov$4 or detach$4))near5 (detect$4 or sens$4)	EPO; JPO; DERWEN T	2004/03/01 16:41
232	BRS	477	(batter$3 near4 (remov$4 or detach$4))near5 (detect$4 or sens$4)	USPAT; US-PGP UB; IBM_TD B	2004/03/01 16:41
233	BRS	10	((batter$3 near4 (remov$4 or detach$4))near5 (detect$4 or sens$4)) with ((plural$4 or multiple)near4 batter$4)	USPAT; US-PGP UB; IBM_TD B	2004/03/01 16:44
234	BRS	477	((batter$3 near4 (remov$4 or detach$4))near5 (detect$4 or sens$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/01 16:43
235	BRS	240	((batter$3 near4 (remov$4 or detach$4))near5 (detect$4 or sens$4)) and ((lower$4 or control$4 or switch$4)near5 (mode or function$6 or capabilit$4 or abilit$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/01 16:44
236	BRS	2	(((batter$3 near4 (remov$4 or detach$4))near5 (detect$4 or sens$4)) with ((plural$4 or multiple)near4 batter$4)) and ((lower$4 or control$4 or switch$4)near5 (mode or function$6 or capabilit$4 or abilit$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/01 16:43

	Type	Hits	Search Text	DBs	Time Stamp
237	BRS	27	((batter$3 near4 (remov$4 or detach$4))near5 (detect$4 or sens$4)) same ((lower$4 or control$4 or switch$4)near5 (mode or function$6 or capabilit$4 or abilit$4))	USPAT; US-PGPUB; IBM_TDB	2004/03/01 16:44
238	BRS	10	(((batter$3 near4 (remov$4 or detach$4))near5 (detect$4 or sens$4)) same ((lower$4 or control$4 or switch$4)near5 (mode or function$6 or capabilit$4 or abilit$4))) and ((plural$4 or multiple)near4 batter$4)	USPAT; US-PGPUB; IBM_TDB	2004/03/01 16:44
239	BRS	135	batteries near4 (before near5 (mov$4 or replac$6))	USPAT; US-PGPUB; IBM_TDB	2004/03/02 15:20
240	BRS	266	((batteries near4 (mov$4 or replac$6))) with (prior or before)	USPAT; US-PGPUB; IBM_TDB	2004/03/02 16:21
241	BRS	6	((batteries near4 (mov$4 or replac$6))) with ((prior or before)near4 (remov$4 or detach$4 or mount$4))	USPAT; US-PGPUB; IBM_TDB	2004/03/02 15:04
242	BRS	80	((prior or before)near4 ((mov$4 or remov$4 or detach$4 or mount$4)near4 batteries))	USPAT; US-PGPUB; IBM_TDB	2004/03/02 15:05
243	BRS	0	(((prior or before)near4 ((mov$4 or remov$4 or detach$4 or mount$4)near4 batteries))) same ((reduc$4 or lower$4 or switch$4)near4 respons$4)	USPAT; US-PGPUB; IBM_TDB	2004/03/02 15:07
244	BRS	16	(((prior or before)near4 ((mov$4 or remov$4 or detach$4 or mount$4)near4 batteries))) same ((reduc$4 or lower$4 or switch$4))	USPAT; US-PGPUB; IBM_TDB	2004/03/02 15:12
245	BRS	2	(batteries near4 (before near5 (mov$4 or replac$6))) same ((reduc$4 or lower$4 or switch$4)near4 (mode or capabilit$4 or abilit$4))	USPAT; US-PGPUB; IBM_TDB	2004/03/02 15:13
246	BRS	6	((batteries near4 (mov$4 or replac$6))) with ((reduc$4 or lower$4 or switch$4)near4 (mode or capabilit$4 or abilit$4))	USPAT; US-PGPUB; IBM_TDB	2004/03/02 15:13

	Typ e	Hits	Search Text	DBs	Time Stamp
247	BRS	40	((batteries near4 (mov$4 or replac$6))) same ((reduc$4 or lower$4 or switch$4)near4 (mode or capabilit$4 or abilit$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/02 15:17
248	BRS	43	((batteries near4 (mov$4 or replac$6))) same ((reduc$4 or lower$4 or switch$4 or trigger$4)near4 (mode or capabilit$4 or abilit$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/02 15:19
249	BRS	2	(batteries near4 (before near5 (mov$4 or replac$6))) same ((reduc$4 or lower$4 or switch$4 or trigger$4)near4 (mode or capabilit$4 or abilit$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/02 15:23
250	BRS	11	(((prior or before)near4 ((mov$4 or remov$4 or detach$4 or mount$4)near4 batteries))) and ((reduc$4 or lower$4 or switch$4 or trigger$4)near4 (mode or capabilit$4 or abilit$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/02 15:19
251	BRS	136	batteries near4 (before near5 (mov$4 or replac$6 or swap$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/02 15:20
252	BRS	94	((detect$4 or sens$4)near4 (mov$4 or replac$6 or swap$4))with batteries	USPAT; US-PGP UB; IBM_TD B	2004/03/03 09:34
253	BRS	1	(((detect$4 or sens$4)near4 (mov$4 or replac$6 or swap$4))with batteries) same ((reduc$4 or lower$4 or switch$4 or trigger$4)near4 (mode or capabilit$4 or abilit$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/02 15:25
254	BRS	15	(((detect$4 or sens$4)near4 (mov$4 or replac$6 or swap$4))with batteries) and ((reduc$4 or lower$4 or switch$4 or trigger$4)near4 (mode or capabilit$4 or abilit$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/02 15:42
255	BRS	1	((reduc$4 or lower$4 or switch$4)near4 (mode or capabilit$4 or abilit$4)) same ((respons$4 with (batteries near5 (remov$4 or mov$5 or swap$4 or detach$4 or mount$4))))	USPAT; US-PGP UB; IBM_TD B	2004/03/02 15:48

	Type	Hits	Search Text	DBs	Time Stamp
256	BRS	1	((reduc$4 or lower$4 or switch$4)near4 (mode or capabilit$4 or abilit$4)) same ((respons$4 near3 (batteries near6 (remov$4 or mov$5 or swap$4 or detach$4 or mount$4))))	USPAT; US-PGPUB; IBM_TDB	2004/03/02 15:48
257	BRS	7	((reduc$4 or lower$4 or switch$4)near4 (mode or capabilit$4 or abilit$4)) and ((respons$4 near3 (batteries near6 (remov$4 or mov$5 or swap$4 or detach$4 or mount$4))))	USPAT; US-PGPUB; IBM_TDB	2004/03/02 16:10
258	BRS	11	prior adj4 (remov$5 near3 batteries)	USPAT	2004/03/02 16:03
259	BRS	16	(prior adj4 remov$5) with batteries	USPAT	2004/03/02 16:16
260	BRS	16	(prior adj4 remov$5) with batteries	USPAT; US-PGPUB; IBM_TDB	2004/03/02 16:30
261	BRS	4	prior adj4 (remov$5 with batteries)	USPAT; US-PGPUB; IBM_TDB	2004/03/02 16:21
262	BRS	1	((prior adj4 remov$5) with batteries) and ((reduc$4 or lower$4 or switch$4)near4 (mode or capabilit$4 or abilit$4))	USPAT; US-PGPUB; IBM_TDB	2004/03/02 16:32
263	BRS	0	((reduc$4 or lower$4 or switch$4)near4 (mode or capabilit$4 or abilit$4)) same ((prior adj4 remov$5) with batteries)	USPAT	2004/03/02 16:17
264	BRS	0	((reduc$4 or lower$4 or switch$4)near4 (mode or capabilit$4 or abilit$4)) same ((prior adj4 remov$5) with batteries)	USPAT; US-PGPUB; IBM_TDB	2004/03/02 16:17
265	BRS	2	((batteries near4 (mov$4 or replac$6))) with ((prior or before)adj4 remov$4)	USPAT; US-PGPUB; IBM_TDB	2004/03/02 16:31
266	BRS	0	(prior adj4 remov$5) with batteries	EPO; JPO; DERWENT	2004/03/02 16:30

	Type	Hits	Search Text	DBs	Time Stamp
267	BRS	7212	(batteries near4 (remov$4 or replac$6))	USPAT; US-PGP UB; IBM_TD B	2004/03/02 16:31
268	BRS	0	(((batteries near4 (remov$4 or replac$6))) with ((prior or before)adj4 remov$4)) same ((reduc$4 or lower$4 or switch$4)near4 (mode or capabilit$4 or abilit$4))	USPAT; US-PGP UB; IBM_TD B	2004/03/02 16:32
269	BRS	27	((batteries near4 (remov$4 or replac$6))) with ((prior or before)adj4 remov$4)	USPAT; US-PGP UB; IBM_TD B	2004/03/02 16:32
270	BRS	31	(prior adj3 remov$3)adj6 batter$3	USPAT	2004/03/03 08:11
271	BRS	1	5784626.pn.	USPAT	2004/03/03 12:28
272	BRS	64	(smart adj2 batter$3)with memor$3	USPAT	2004/03/03 12:45
273	BRS	15	((smart adj2 batter$3)with memor$3) same controller	USPAT	2004/03/03 12:39
274	BRS	3	(smart adj2 batter$3)with (internal adj2 memor$3)	USPAT	2004/03/03 12:47
275	BRS	1	5929601.pn.	USPAT	2004/03/03 12:47